



I RALLYE BUSOT

Classificació general CL RG PROVISIONAL

www.iteriarc.com



AITANA-RELLEU

POS	DORS	PILOT	COPILOT	VEHICLE	CL	GR	PEN	TOTAL	TC2.1 PK 1.165	TC2.2 PK 1.717	TC2.3 PK 2.489	TC2.4 PK 3.005	TC2.5 PK 3.826	TC2.6 PK 4.892	TC2.7 PK 6.012	TC2.8 PK 6.956	TC2.9 PK 7.907	TC2.10 PK 8.634	TC2.11 PK 9.342	TC2.12 PK 9.993	TC2.13 PK 10.402	TC2.14 PK 10.918	TC2.15 PK 11.96	TC2.16 PK 12.397	TC2.17 PK 13.153	POS	DORS
1	51	D.MUGURUZA	L. DOMINGO	911 CARRERA	RG	Rg	0	51.7	1.1	-0.3	3.0	0.1	-0.6	2.2	0.3	0.6	2.0	0.3	0.5	0.8	0.5	0.8	0	1.6	0.2	1	51
2	51	D.MUGURUZA	L. DOMINGO	911 CARRERA	RG	Rg	0	51.7	1.1	-0.3	3.0	0.1	-0.6	2.2	0.3	0.6	2.0	0.3	0.5	0.8	0.5	0.8	0	1.6	0.2	2	51
3	53	F. MATARREDONA	J. ROCA	CAPRI 2000	RG	Rg	0	56.1	0.8	-0.4	2.6	0.1	0.5	3.7	0.7	0.8	0.7	-0.1	0	0.2	-0.1	-0.2	-0.3	0.5	0.2	3	53
4	53	F. MATARREDONA	J. ROCA	CAPRI 2000	RG	Rg	0	56.1	0.8	-0.4	2.6	0.1	0.5	3.7	0.7	0.8	0.7	-0.1	0	0.2	-0.1	-0.2	-0.3	0.5	0.2	4	53
5	52	J. CERVERA	C. PINEDA	GOLF GTI	RG	Rg	0	60.8	1.0	-1.2	2.0	0.1	0.3	3.5	1.2	1.0	0.8	0.1	-0.5	0.7	0.1	-0.2	-0.7	0.1	-1.4	5	52
6	52	J. CERVERA	C. PINEDA	GOLF GTI	RG	Rg	0	60.8	1.0	-1.2	2.0	0.1	0.3	3.5	1.2	1.0	0.8	0.1	-0.5	0.7	0.1	-0.2	-0.7	0.1	-1.4	6	52
7	54	A. TEROL	E. TEROL	4L	RG	Rg	0	106.7	2.2	0.5	4.0	0.2	-0.1	1.7	1.5	2.8	2.5	1.3	0.4	1.1	1.0	-0.1	-0.2	1.4	-1.8	7	54
8	54	A. TEROL	E. TEROL	4L	RG	Rg	0	106.7	2.2	0.5	4.0	0.2	-0.1	1.7	1.5	2.8	2.5	1.3	0.4	1.1	1.0	-0.1	-0.2	1.4	-1.8	8	54
9	55	A. CUETO	J. CLEMENTE	SIERRA 2.0I S	RG	Rg	0	127.3	1.6	0.1	5.7	5.1	4.5	3.4	1.8	1.8	2.4	1.2	0.7	1.3	1.3	1.9	0.6	2.0	0.4	9	55
10	55	A. CUETO	J. CLEMENTE	SIERRA 2.0I S	RG	Rg	0	127.3	1.6	0.1	5.7	5.1	4.5	3.4	1.8	1.8	2.4	1.2	0.7	1.3	1.3	1.9	0.6	2.0	0.4	10	55
11	57	F. GARCIA	J. R. JIMENEZ	COOPER S	RG	Rg	0	138.8	0.4	1.1	3.7	1.1	0.1	3.7	-1.2	0.3	1.6	-0.6	0.7	1.2	1.5	0.7	0.9	0.6	2.8	11	57
12	57	F. GARCIA	J. R. JIMENEZ	COOPER S	RG	Rg	0	138.8	0.4	1.1	3.7	1.1	0.1	3.7	-1.2	0.3	1.6	-0.6	0.7	1.2	1.5	0.7	0.9	0.6	2.8	12	57
13	56	L. NAVARRO	M. A. ZAHONERO	CELICA 2.0 GTI	RG	Rg	0	169.7	-4.4	-0.6	2.4	-0.3	-2.2	-0.3	-0.8	-1.1	-1.4	-2.1	-3.5	-3.7	-2.9	-3.2	-3.9	-2.9	-4.7	13	56
14	56	L. NAVARRO	M. A. ZAHONERO	CELICA 2.0 GTI	RG	Rg	0	169.7	-4.4	-0.6	2.4	-0.3	-2.2	-0.3	-0.8	-1.1	-1.4	-2.1	-3.5	-3.7	-2.9	-3.2	-3.9	-2.9	-4.7	14	56
15	59	J. F. LARIO	S. LARIO	MINI MK II MAYFAIR	RG	Rg	0	173.7	1.7	-1.7	1.2	-1.2	-2.4	0.4	-2.7	-3.2	-2.3	-5.3	-5.2	-5.2	-5.2	-4.7	-5.8	-4.8	-7.4	15	59
16	59	J. F. LARIO	S. LARIO	MINI MK II MAYFAIR	RG	Rg	0	173.7	1.7	-1.7	1.2	-1.2	-2.4	0.4	-2.7	-3.2	-2.3	-5.3	-5.2	-5.2	-5.2	-4.7	-5.8	-4.8	-7.4	16	59
17	58	J. SORIANO	L. PÉREZ	90 2.3	RG	Rg	0	395.5	-5.4	-3.9	0.3	-5.0	-4.0	-5.3	-8.6	-8.2	-7.9	-8.4	-8.7	-8.2	-7.9	-8.1	-7.6	-6.5	-10.1	17	58
18	58	J. SORIANO	L. PÉREZ	90 2.3	RG	Rg	0	395.5	-5.4	-3.9	0.3	-5.0	-4.0	-5.3	-8.6	-8.2	-7.9	-8.4	-8.7	-8.2	-7.9	-8.1	-7.6	-6.5	-10.1	18	58



I RALLYE BUSOT

Classificació general CL RG PROVISIONAL

www.iteriarc.com



REBOLCAT 2

AITANA-RELLEU 2

POS	DORS	TC3.1 PK	TC3.2 PK	TC3.3 PK	TC3.4 PK	TC3.5 PK	TC3.6 PK	TC3.7 PK	TC3.8 PK	TC3.9 PK	TC3.10 PK	TC3.11 PK	TC3.12 PK	TC3.13 PK	TC3.14 PK	TC3.15 PK	TC3.16 PK	TC3.17 PK	TC3.18 PK	TC3.19 PK	TC3.20 PK	TC3.21 PK	TC4.1 PK	TC4.2 PK	TC4.3 PK	TC4.4 PK	TC4.5 PK	TC4.6 PK	TC4.7 PK	TC4.8 PK	TC4.9 PK	TC4.10 PK	POS	DORS
		1.057	1.502	2.083	2.513	2.956	3.39	4.064	4.519	5.153	5.683	6.145	6.817	7.436	8.262	8.959	9.802	10.326	11.126	11.697	12.553	12.806	1.123	1.772	2.405	2.824	3.253	4.007	4.685	4.999	5.53	6.079		
1	51	0.4	-0.1	0.4	0.2	0.8	0.6	0.9	0	0.7	0.3	0.8	0	-0.3	-0.8	0.3	-0.3	0.2	0.3	-0.4	0.5	0.8	-1.7	0.8	-0.7	0	-0.3	0.2	-0.8	1.5	-0.5	1.2	1	51
2	51	0.4	-0.1	0.4	0.2	0.8	0.6	0.9	0	0.7	0.3	0.8	0	-0.3	-0.8	0.3	-0.3	0.2	0.3	-0.4	0.5	0.8	-1.7	0.8	-0.7	0	-0.3	0.2	-0.8	1.5	-0.5	1.2	2	51
3	53	0.2	0.4	0.2	0.7	1.1	0.4	0.3	0	0.3	0	2.2	-0.1	0	-0.5	0	0	-0.2	0.7	0.2	1.7	0.4	0.4	2.1	0.9	0.4	0.9	0.1	1.1	2.1	0.7	1.0	3	53
4	53	0.2	0.4	0.2	0.7	1.1	0.4	0.3	0	0.3	0	2.2	-0.1	0	-0.5	0	0	-0.2	0.7	0.2	1.7	0.4	0.4	2.1	0.9	0.4	0.9	0.1	1.1	2.1	0.7	1.0	4	53
5	52	0.3	0.2	0.3	0.8	0.2	0.1	0.1	-0.2	-0.3	-0.2	1.0	-0.6	-0.3	-0.4	0.1	0.6	0.5	0.5	0.4	2.8	1.4	0.2	2.1	0	0.4	2.1	0.9	1.2	3.4	1.2	1.5	5	52
6	52	0.3	0.2	0.3	0.8	0.2	0.1	0.1	-0.2	-0.3	-0.2	1.0	-0.6	-0.3	-0.4	0.1	0.6	0.5	0.5	0.4	2.8	1.4	0.2	2.1	0	0.4	2.1	0.9	1.2	3.4	1.2	1.5	6	52
7	54	0.9	0.2	1.3	1.1	1.6	1.4	1.3	0.3	1.8	0.9	2.7	-0.2	8.3	-0.7	-0.3	-0.1	-0.1	0.5	0.1	0.6	1.9	1.4	2.5	1.9	1.4	2.2	-2.1	2.1	2.5	2.5	2.0	7	54
8	54	0.9	0.2	1.3	1.1	1.6	1.4	1.3	0.3	1.8	0.9	2.7	-0.2	8.3	-0.7	-0.3	-0.1	-0.1	0.5	0.1	0.6	1.9	1.4	2.5	1.9	1.4	2.2	-2.1	2.1	2.5	2.5	2.0	8	54
9	55	0.8	0.4	0.8	0.7	0.8	0.8	1.1	0.4	0.7	0.8	1.9	0.8	-2.5	-13.2	-5.7	0.8	0.8	0.9	0.6	0.7	1.2	0.5	2.1	1.2	1.4	1.1	2.2	2.7	2.9	1.6	1.8	9	55
10	55	0.8	0.4	0.8	0.7	0.8	0.8	1.1	0.4	0.7	0.8	1.9	0.8	-2.5	-13.2	-5.7	0.8	0.8	0.9	0.6	0.7	1.2	0.5	2.1	1.2	1.4	1.1	2.2	2.7	2.9	1.6	1.8	10	55
11	57	-0.4	-0.1	2.1	2.2	3.0	3.3	3.5	2.8	4.8	3.9	2.2	1.9	2.9	0.7	0.7	0.7	0.5	1.6	0.3	2.6	2.8	0.8	3.9	1.0	0.8	0.3	1.0	1.7	3.0	0.8	-1.2	11	57
12	57	-0.4	-0.1	2.1	2.2	3.0	3.3	3.5	2.8	4.8	3.9	2.2	1.9	2.9	0.7	0.7	0.7	0.5	1.6	0.3	2.6	2.8	0.8	3.9	1.0	0.8	0.3	1.0	1.7	3.0	0.8	-1.2	12	57
13	56	0.3	-0.4	-0.7	-0.1	0.1	0.3	0.9	2.8	3.0	0.6	2.3	0.7	0.4	0.1	0.5	0.8	0.4	1.4	0.7	3.3	2.1	2.5	0.9	0.5	-0.5	-0.9	-1.0	0.3	0.5	-0.9	-0.2	13	56
14	56	0.3	-0.4	-0.7	-0.1	0.1	0.3	0.9	2.8	3.0	0.6	2.3	0.7	0.4	0.1	0.5	0.8	0.4	1.4	0.7	3.3	2.1	2.5	0.9	0.5	-0.5	-0.9	-1.0	0.3	0.5	-0.9	-0.2	14	56
15	59	-0.5	-0.3	-0.3	-0.2	1.0	0.6	0.4	0.5	0.5	0.6	2.2	0.7	0.3	0	0	0.4	0.5	1.2	-0.1	1.0	1.3	-0.1	1.2	-0.6	-0.5	-1.1	-1.6	-1.5	1.1	-1.9	-1.7	15	59
16	59	-0.5	-0.3	-0.3	-0.2	1.0	0.6	0.4	0.5	0.5	0.6	2.2	0.7	0.3	0	0	0.4	0.5	1.2	-0.1	1.0	1.3	-0.1	1.2	-0.6	-0.5	-1.1	-1.6	-1.5	1.1	-1.9	-1.7	16	59
17	58	-1.0	-1.0	-2.5	-2.7	-1.4	-2.8	-2.9	-3.1	-3.3	-2.8	-1.9	-3.5	-2.7	-3.7	-5.2	-4.6	-4.2	-4.5	-3.6	-3.7	-4.6	-0.4	3.2	2.3	2.6	3.0	3.5	2.5	5.3	5.0	5.3	17	58
18	58	-1.0	-1.0	-2.5	-2.7	-1.4	-2.8	-2.9	-3.1	-3.3	-2.8	-1.9	-3.5	-2.7	-3.7	-5.2	-4.6	-4.2	-4.5	-3.6	-3.7	-4.6	-0.4	3.2	2.3	2.6	3.0	3.5	2.5	5.3	5.0	5.3	18	58



I RALLYE BUSOT

Classificació general CL RG PROVISIONAL

www.iteriarc.com



AMADORIO

AGUAS-BUSOT

POS	DORS	TC4.11 PK		TC4.12 PK		TC4.13 PK		TC4.14 PK		TC4.15 PK		TC4.16 PK		TC4.17 PK		TC4.18 PK		TC4.19 PK		TC4.20 PK		TC4.21 PK		TC4.22 PK		TC4.23 PK		TC5.1 PK		TC5.2 PK		TC5.3 PK		TC5.4 PK		TC5.5 PK		TC5.6 PK		TC5.7 PK		TC5.8 PK		TC5.9 PK		TC5.10 PK		TC5.11 PK		TC5.12 PK		TC6.1 PK		TC6.2 PK		TC6.3 PK		TC6.4 PK		TC6.5 PK		POS	DORS
		6.4	6.905	7.515	8.025	8.592	8.902	10.14	10.664	11.426	11.919	12.327	12.775	13.299	1.11	1.472	2.357	3.114	3.94	4.567	5.37	6.297	7.261	7.485	8.2	9.071	1.146	1.386	2.126	2.691	3.705																																
1	51	0.6	1.0	0.7	0.5	0.4	-0.1	0.6	0.9	0.3	-1.0	1.0	-0.3	0.7	0.7	1.9	0.3	0.3	0.2	0.3	0.4	0.4	0.3	0.3	0.4	0.5	0.3	-0.2	-1.1	-0.9	-0.4	1	51																														
2	51	0.6	1.0	0.7	0.5	0.4	-0.1	0.6	0.9	0.3	-1.0	1.0	-0.3	0.7	0.7	1.9	0.3	0.3	0.2	0.3	0.4	0.4	0.3	0.3	0.4	0.5	0.3	-0.2	-1.1	-0.9	-0.4	2	51																														
3	53	0.2	1.0	-0.1	0.6	-0.3	0	0.5	1.3	1.7	-0.1	0.5	0	0.7	1.3	6.0	-0.8	-0.5	-0.8	-0.1	-0.2	-0.3	0.2	1.1	0.4	0.1	0.6	-0.4	-1.3	-0.5	-0.1	3	53																														
4	53	0.2	1.0	-0.1	0.6	-0.3	0	0.5	1.3	1.7	-0.1	0.5	0	0.7	1.3	6.0	-0.8	-0.5	-0.8	-0.1	-0.2	-0.3	0.2	1.1	0.4	0.1	0.6	-0.4	-1.3	-0.5	-0.1	4	53																														
5	52	0.6	1.3	0.1	0.5	0.1	0	-0.2	0.1	0.4	-1.2	0	-0.8	0.2	1.7	4.1	-0.1	-0.2	0.3	0.6	0.9	0.4	0.7	1.8	0.8	0.2	0.2	-0.5	-0.7	0	0.1	5	52																														
6	52	0.6	1.3	0.1	0.5	0.1	0	-0.2	0.1	0.4	-1.2	0	-0.8	0.2	1.7	4.1	-0.1	-0.2	0.3	0.6	0.9	0.4	0.7	1.8	0.8	0.2	0.2	-0.5	-0.7	0	0.1	6	52																														
7	54	2.3	2.7	1.7	1.4	0.3	1.9	1.3	0.4	0.4	0.4	2.1	-0.3	1.8	2.4	5.9	0.6	-0.7	-0.5	0.2	-0.4	0.1	0.1	0.8	0	-0.5	0	-1.4	-1.6	-1.2	0.4	7	54																														
8	54	2.3	2.7	1.7	1.4	0.3	1.9	1.3	0.4	0.4	0.4	2.1	-0.3	1.8	2.4	5.9	0.6	-0.7	-0.5	0.2	-0.4	0.1	0.1	0.8	0	-0.5	0	-1.4	-1.6	-1.2	0.4	8	54																														
9	55	1.7	1.7	1.0	1.8	1.3	0.9	1.2	1.4	1.2	-0.4	1.7	0.5	0.5	1.5	4.8	0.9	1.0	0.7	0.9	1.0	0.7	1.0	1.7	1.2	0.7	0.3	0.5	0.4	0.4	0.5	9	55																														
10	55	1.7	1.7	1.0	1.8	1.3	0.9	1.2	1.4	1.2	-0.4	1.7	0.5	0.5	1.5	4.8	0.9	1.0	0.7	0.9	1.0	0.7	1.0	1.7	1.2	0.7	0.3	0.5	0.4	0.4	0.5	10	55																														
11	57	-2.4	0	0.5	-0.1	-0.8	-0.3	1.2	0.8	0.5	-0.4	0.9	0.9	2.7	3.2	9.5	2.9	0	-0.9	-0.6	-0.4	0.2	-0.4	1.1	0.4	-0.3	2.8	1.0	1.9	3.1	2.7	11	57																														
12	57	-2.4	0	0.5	-0.1	-0.8	-0.3	1.2	0.8	0.5	-0.4	0.9	0.9	2.7	3.2	9.5	2.9	0	-0.9	-0.6	-0.4	0.2	-0.4	1.1	0.4	-0.3	2.8	1.0	1.9	3.1	2.7	12	57																														
13	56	-1.2	-1.2	-2.2	-2.2	-2.1	-2.6	-2.3	-2.8	-3.5	-4.3	-3.1	-4.3	-4.5	4.5	9.2	1.7	3.3	2.0	3.0	2.1	2.5	1.9	3.6	5.7	2.3	0.5	0.7	0.6	2.2	0.2	13	56																														
14	56	-1.2	-1.2	-2.2	-2.2	-2.1	-2.6	-2.3	-2.8	-3.5	-4.3	-3.1	-4.3	-4.5	4.5	9.2	1.7	3.3	2.0	3.0	2.1	2.5	1.9	3.6	5.7	2.3	0.5	0.7	0.6	2.2	0.2	14	56																														
15	59	-2.6	-2.1	-2.9	-3.3	-4.2	-3.4	-4.0	-3.4	-5.0	-4.5	-3.8	-5.8	-7.7	0.2	5.9	-0.5	-1.9	-1.3	-1.7	-1.9	-1.6	-1.9	-0.8	-2.5	-2.6	-0.1	-1.3	-1.4	-1.7	-1.2	15	59																														
16	59	-2.6	-2.1	-2.9	-3.3	-4.2	-3.4	-4.0	-3.4	-5.0	-4.5	-3.8	-5.8	-7.7	0.2	5.9	-0.5	-1.9	-1.3	-1.7	-1.9	-1.6	-1.9	-0.8	-2.5	-2.6	-0.1	-1.3	-1.4	-1.7	-1.2	16	59																														
17	58	4.1	5.0	5.9	7.1	6.5	6.0	5.8	8.1	6.0	6.0	6.8	5.7	6.7	0.3	4.0	-1.2	-3.2	-3.2	-3.6	-4.2	-5.1	-5.1	-4.0	-5.5	-7.0	-0.5	-2.1	-0.3	0.4	-5.9	17	58																														
18	58	4.1	5.0	5.9	7.1	6.5	6.0	5.8	8.1	6.0	6.0	6.8	5.7	6.7	0.3	4.0	-1.2	-3.2	-3.2	-3.6	-4.2	-5.1	-5.1	-4.0	-5.5	-7.0	-0.5	-2.1	-0.3	0.4	-5.9	18	58																														



I RALLYE BUSOT

Classificació general CL RG PROVISIONAL

www.iteriarc.com



POS	DORS	TC6.6 PK 4.001	TC6.7 PK 4.75	TC6.8 PK 5.114	TC6.9 PK 5.547	TC6.10 PK 5.947	TC6.11 PK 6.497	TC6.12 PK 6.986	POS	DORS
1	51	-0.4	-0.6	-0.2	-0.7	-0.3	0	0.8	1	51
2	51	-0.4	-0.6	-0.2	-0.7	-0.3	0	0.8	2	51
3	53	-0.2	0.2	-0.1	-0.1	0.2	1.0	1.4	3	53
4	53	-0.2	0.2	-0.1	-0.1	0.2	1.0	1.4	4	53
5	52	0	0.3	0.2	-0.2	0.1	0.6	1.4	5	52
6	52	0	0.3	0.2	-0.2	0.1	0.6	1.4	6	52
7	54	-0.2	-0.6	-0.1	0	0	1.0	1.3	7	54
8	54	-0.2	-0.6	-0.1	0	0	1.0	1.3	8	54
9	55	0.4	0.3	0.5	0.4	0.3	0.6	1.6	9	55
10	55	0.4	0.3	0.5	0.4	0.3	0.6	1.6	10	55
11	57	2.5	3.5	1.7	2.1	2.0	1.7	2.7	11	57
12	57	2.5	3.5	1.7	2.1	2.0	1.7	2.7	12	57
13	56	1.1	1.5	2.1	1.8	2.3	3.7	4.4	13	56
14	56	1.1	1.5	2.1	1.8	2.3	3.7	4.4	14	56
15	59	-1.7	-1.5	-1.4	-1.4	-1.3	0.2	0.7	15	59
16	59	-1.7	-1.5	-1.4	-1.4	-1.3	0.2	0.7	16	59
17	58	-6.2	-5.3	-5.9	-8.0	-7.4	-7.6	-6.9	17	58
18	58	-6.2	-5.3	-5.9	-8.0	-7.4	-7.6	-6.9	18	58